This Listing of Claims will replace all prior versions, and listings, of claims in this application:

Listing of Claims:

- (cancelled)
- 2. (previously amended) An isolated polynucleotide molecule comprising a nucleotide sequence encoding the polypoptide sequence of SEQ ID NO:2.
- (original) The isolated polynucleutide molecule of claim 2 comprising a nucleic acid having the sequence of SEQ ID NO:1.
- (original) A vector comprising the isolated polynucleotide molecule of claim
 2.
- 5. (original) A host cell comprising the vector of claim 4.
- (previously amended) A method for transforming a Corynebacterium species host cell comprising:
 - (a) transforming a Curynebacterium species host cell with an isolated polynucleotide molecule comprising a nucleotide sequence encoding the polypoptide of SEQ ID NO: 2 and
 - (b) selecting a transformed hust cell.
- 7. (previously amended) The method of claim 6 further comprising screening for said transformed polynucleotide molecule.
- 8. (previously amended) The method of claim 6 wherein said host cell possesses at least one of the following activities:
 - (a) aspartate-semialdehyde dehydrogenase activity;
 - (b) dibydrodipicolinate synthase activity,

- (c) dihydrodipicolinate reductase activity;
- (d) diaminopimelate dehydrogenase activity; and
- (c) diaminopimelate decarboxylase activity.
- (previously amended) The method of claim 8 further comprising screening for said activity.
- 10. (previously amended) The method of claim 6, wherein said isolated polynucleotide molecule further comprises at least one of the following:
 - (a) a nucleic said molecule encoding the and amino acid sequence of SEQ ID NO:4;
 - (b) a nucleic acid molecule encoding the dapA amino acid sequence of SEQ ID NO:6;
 - (c) a nucleic acid molecule encoding the dapB amino acid sequence of SEQ ID NO 8:
 - (d) a nucleic acid molecule encoding the ddh amino acid sequence of SEQ ID NO: 10;
 - (e) a nucleic sciol molecule encoding the 'lysA amino acid sequence of SEQ ID NO: 21;
 - (f) a nucleic acid molecule encoding the lysA ammo acid sequence of SEQ ID NO: 14;

and

(g) a moderic acid molecule encoding the *ORF2* amino acid sequence of SEQ ID NO: 16.

- 11. (original) The method of claim 6, wherein said isolated polynucleotide molecule further comprises the following:
 - (a) a nucleic acid molecule carending the asd amino acid sequence of SEQ ID NO:4;
 - (b) a nucleic acid molecule encoding the dapA amino acid sequence of SEQ ID NO:6;
 - (c) a nucleic acid molecule encoding the dapR amino acid sequence of SEQ ID NO: R;

and

- (d) a nucleic acid molecule encoding the ORF2 amino acid sequence of SEQ ID NO:16.
- 12. (original) The method of claim 6, wherein said isolated polynuclentide molecule further comprises the following:
 - (a) a nucleic acid molecule encoding the and amino acid sequence of SEQ ID NO:4;
 - (b) a nucleic acid molecule enroding the dapA amino acid sequence of SEQ ID NO:6;
 - (c) a nucleic acid molecule encoding the dapB amino acid sequence of SEQ ID NO 8:
 - (d) a nucleic acid molecule encoding the ddh amino acid sequence of SEQ ID NO: 10;

and

(e) a nucleic acid molecule encoding the ORF2 amino acid sequence of SEQ ID NO: 16.

- 13. (original) The method of claim 6, wherein said isolated polynucleotide molecule further comprises the following:
 - (a) a nucleic acid molecule encoding the asd amino acid sequence of SEQ ID NO:4;
 - (b) a nucleic acid molecule encoding the dapA amino acid sequence of SEQ ID NO:6;
 - (c) a nucleic acid molecule encoding the dapB amino acid sequence of SEQ ID NO 8:
 - (d) a nucleic acid molecule encoding the ddh amino acid sequence of SEQ ID NO: 10;
 - (e) a nucleic acid molecule encoding the 'lysA amino acid sequence of SEQ ID NO: 21; and
 - (f) a nucleic acid molecule encoding the ORF2 amino acid sequence of SEQ ID NO: 16.
 - 14. (original) The method of claim 6, wherein said isolated polynucleotide molecule further comprises the following:
 - (a) a nucleic acid molecule encoding the asd amino acid sequence of SEQ ID NO:4;
 - (b) a nucleic acid molecule encoding the dapA amino acid sequence of SEQ ID NO:6;
 - (c) a nucleic acid molecule encoding the dapB amino acid sequence of SEQ ID NO 8:
 - (d) a nucleic acid molecule encoding the ddh amino acid sequence of SEQ ID NO: 10;

一次の中華のは人 様と写り

(e) a nucleic acid molecule encoding the lysA amino acid sequence of SEQ ID NO: 14;

and

- (f) a nucleic acid molecule encoding the *ORF2* amino acid sequence of SEQ ID NO: 16.
- 15. (original) The method of claim 6 further comprising:
 - (a) growing said transformed host cell in a medium; and
 - (b) purifying an amino acid produced by said transformed host cell.
- 16. (previously amended) An isolated polynucleotide molecule comprising:
 - (a) the polynucleotide molecule of claim 2; and
 - (b) at least one additional Corynebacterium species lysine pathway gene selected from the group consisting of:
 - (i) a nucleic acid molecule encoding the asd polypeptide of SEQ ID NO: 4;
 - (ii) a nucleic acid molecule encoding the dapA polypeptide of SEQ ID
 NO: 6;
 - (iii) a nucleic acid molecule encoding the dapB polypeptide of SEQ ID
 NO: 8;
 - (iv) a nucleic acid molecule encoding the ddh polypeptide of SEQ ID NO: 10:
 - (v) a nucleic acid molecule encoding the 'lysA polypeptide of SEQ ID NO: 21;

(vi) a nucleic acid molecule encoding the lysA polypeptide of SEQ ID
 NO: 14;

and

- (vii) a nucleic acid molecule encoding the ORF2 polypeptide of SEQ IDNO: 16.
- 17. (cancelled).
- 18. (original) An isolated polynucleotide molecule comprising:
 - (a) the polynucleotide molecule of claim 2;
 - (b) a nucleic acid molecule encoding the asd amino acid sequence of SEQ ID NO: 4;
 - (c) a nucleic acid molecule encoding the dapA amino acid sequence of SEQ ID NO: 6;
 - (d) a nucleic acid molecule encoding the dapB amino acid sequence of SEQ ID NO: 8;

and

- (e) a nucleic acid molecule encoding the ORF2 amino acid sequence of SEQ ID NO: 16.
- 19. (original) An isolated polynucleotide molecule comprising:
 - (a) the polynucleotide molecule of claim 2;
 - (b) a nucleic acid molecule encoding the asd amino acid sequence of SEQ ID NO: 4;

- (c) a nucleic acid molecule encoding the dapA amino acid sequence of SEQ ID NO: 6;
- (d) a nucleic acid molecule encoding the dapB amino acid sequence of SEQ ID NO: 8;
- (e) a nucleic acid molecule encoding the ddh amino acid sequence of SEQ ID NO: 10; and
- (f) a nucleic acid molecule encoding the ORF2 amino acid sequence of SEQ ID NO: 16.
- 20. (original) An isolated polynucleotide molecule comprising;
 - (a) the polynucleotide molecule of claim 2;
 - (b) a nucleic acid molecule encoding the asd amino acid sequence of SEQ ID NO: 4;
 - (c) a nucleic acid molecule encoding the dapA amino acid sequence of SEQ ID NO: 6;
 - (d) a nucleic acid molecule encoding the dapB amino acid sequence of SEQ ID NO: 8;
 - (e) a nucleic acid molecule encoding the ddh amino acid sequence of SEQ ID NO: 10;
 - (f) a nucleic acid molecule encoding the 'lysA amino acid sequence of SEQ ID NO: 21; and
 - (g) a nucleic acid molecule encoding the ORF2 amino acid sequence of SEQ ID NO: 16.
 - 21. (original) An isolated polynucleotide molecule comprising:

- (a) the polynucleotide molecule of claim 2;
 - (b) a nucleic acid molecule encoding the asd amino acid sequence of SEQ ID NO: 4;
 - (c) a nucleic acid molecule encoding the dapA amino acid sequence of SEQ ID NO: 6;
 - (d) a nucleic acid molecule encoding the dapB amino acid sequence of SEQ ID NO: 8;
 - (e) a nucleic acid molecule encoding the ddh amino acid sequence of SEQ ID NO: 10;
 - (f) a nucleic acid molecule encoding the lysA amino acid sequence of SEQ ID NO: 14;

and

- (g) a nucleic acid molecule encoding the ORF2 amino acid sequence of SEQ ID NO: 16.
- (original) The isolated polynucleotide molecule of claim 18 comprising pK 184-KDAB.
- 23. (original) The isolated polynucleotide molecule of claim 20 comprising pD11-KDABH'L.
- 24. (original) The isolated polynucleotide molecule of claim 21 comprising pD2-KDABHL.
- 25. (original) A vector comprising the polynucleotide molecule of claim 16.
- 26. (original) A host cell comprising the vector of claim 25.

其人為 等者的 并分泌的 医牙上腺病

- 27. (previously amended) The host cell of claim 26 wherein said host cell is a Brevibacterium flavum selected from the group consisting of Brevibacterium flavum NRRL-B30218, Brevibacterium flavum NRRL-B30219,

 Brevibacterium lactofermentum NRRL-B30220, Brevibacterium lactofermentum NRRL-B30221, Brevibacterium lactofermentum NRRL-B30221, Brevibacterium lactofermentum NRRL-B30234 and Brevibacterium lactofermentum NRRL-B30235.
 - 28. (original) The host cell of claim 26 wherein said host cell is Escherichia coli
 DH5 αMCR NRRL-B30228.
 - (original) The host cell of claim 26 wherein said host cell is a C. glutamicum selected from the group consisting of C. glutamicum NRRL-B30236 and C. glutamicum NRRL-B30237.

Claims 30-60 are cancelled.

- 61. (previously amended) The isolated polynucleotide molecule of claim 2 further comprising a promoter sequence where said promoter sequence has at least 95% sequence identity to SEQ ID NO: 17, wherein said promoter sequence controls expression of said polynucleotide.
- 62. (original) The polynucleotide of claim 61 where said promoter sequence has the nucleotide sequence of SEQ ID NO: 17.
- 63. (cancelled).
- 64. (original) A vector comprising the isolated polynucleotide of claim 61.
- 65. (original) A host cell comprising the vector of claim 64.
- 66. (original) The host cell of claim 65 wherein said host cell is NRRLB 30359.
- 67. (previously amended) A method for transforming a Corynebacterium species host cell comprising:

多数後衛衛衛衛衛 多种等的人等便等的人的人

- (a) transforming a Corynebacterium species host cell with the polynucleotide molecule of claim 61, and
- (b) selecting a transformed host cell.
- 68. (previously added) The method of claim 8 wherein said activity is aspartatesemialdehyde dehydrogenase activity.
- 69. (previously added) The method of claim 8 wherein said activity is dihydrodipicolinate synthase activity.
- 70. (previously added) The method of claim 8 wherein said activity is dihydrodipicolinate reductase activity.
- 71. (previously added) The method of claim 8 wherein said activity is diaminopimelate dehydrogenase activity.
- 72. (previously added) The method of claim 8 wherein said activity is diaminopimelate decarboxylase activity.
- 73. (currently amended) The isolated polynucleotide of claim 16, wherein said additional Corynebacterium species lysine pathway gene is encodes the asd polypeptide of SEQ ID NO:4.
- 74. (currently amended) The isolated polynucleotide of claim 16, wherein said additional Corynebacterium species lysine pathway gene is encodes the dapA polypeptide of SEQ ID NO:6.
- 75. (currently amended) The isolated polynucleotide of claim 16, wherein said additional Corynebacterium species lysine pathway gene is encodes the dapB polypeptide of SEQ ID NO:8.

- 76. (currently amended) The isolated polynucleotide of claim 16, wherein said additional Corynebacterium species lysine pathway gene is encodes the ddh polypeptide of SEQ ID NO:10.
- 77. (currently amended) The isolated polynucleotide of claim 16, wherein said additional Corynebacterium species lysine pathway gene is encodes the 'lysA' polypeptide of SEQ ID NO:21.
- 78. (currently amended) The isolated polynucleotide of claim 16, wherein said additional Corynebacterium species lysine pathway gene is encodes the lysA polypeptide of SEQ ID NO:14.
- 79. (currently amended) The isolated polynucleotide of claim 16, wherein said additional Corynebacterium species lysine pathway gene is encodes the ORF2 polypeptide of SEQ ID NO:16.
- 80. (currently amended) The method of claim 68, wherein said aspartate-semialdehyde dehydrogenase activity is encoded by the asd polypeptide polynucleotide of SEQ ID NO:4 3.
- 81. (currently amended) The method of claim 69, wherein said dihydrodipicolinate synthase activity is encoded by the dap A polypeptide polynucleotide of SEQ ID NO:6 5.
- 82. (currently amended) The method of claim 70, wherein said dihydrodipicolinate reductase activity is encoded by the dapB pelypeptide polynucleotide of SEQ ID NO:8 7.

- 83. (currently amended) The method of claim 71, wherein said diaminopimelate decarboxylase activity is encoded by the ddh polypeptide polynucleotide of SEQ ID NO:10 9.
- 84. (currently amended) The method of claim 72, wherein said diaminopimelate decarboxylase activity is encoded by the *TysA* polypeptide polynucleotide of SEQ ID NO:21 20.
- 85. (currently amended) The method of claim 72, wherein said diaminopimelate decarboxylase activity is encoded by the *lysA* polypeptide polynucleotide of SEQ ID NO:14 13.
- 86. (previously added) The method of claim 6 wherein the nucleotide sequence is integrated into said host cell's chromosome.